OFFICE OF THE SECRETARY, STORES PURCHASE COMMITTEE, "UNITED INDIA" BUILDING, BANGALORE.

Dated 6th September 1947.

To

The firms dealing in Engineering Instruments and Machine Tools.

*Enquiry No.* 8601.

*Subject* : Equipment required for Civil and Mechanical Draftsmanship Sections of Sri Jayachamarajendra Occupational Institute, Bangalore.

Gentlemen,

**No. S.P.C. 10607—22.** Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below :—

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of three percent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Equipment required for the Civil and Mechanical Draftsmanship Sections of the Sri Jayachamarajendra Occupational Institute, Bangalore" with the above enquiry number.

This enquiry will be closed on the 28th November 1947.

SCHEDULE.

| | | | f.o.r. Bangalore. |
|---|---|---|---|
| 1 | Chains with arrows (100') | ... | 12 |
| 2 | Cross Staff | ... | 12 |
| 3 | Optical Squares | ... | 12 |
| 4 | Prism Squares | ... | 12 |
| 5 | Steel Tapes 100 ft. | ... | 4 |
| 6 | Do 50 ft. | ... | 2 |
| 7 | Box Sextant | ... | 6 |
| 8 | Plotting Scales with off-set scales | ... | 12 sets |
| 9 | Ranging Rods | ... | 24 |
| 10 | Miner's Dial | ... | 6 |
| 11 | Military Compass } with Tripods | ... | 2 |
| 12 | Surveyor Compass | ... | 2 |
| 13 | Ebony Parallel Rules 24" | ... | 2 |
| 14 | Do 18" | ... | 2 |
| 14a | Protractors Card Board | ... | 12 |
| | Do Plastic | ... | 12 |
| | Do Metal | ... | 12 |
| 15 | Amsler's Planimeter | ... | 4 |
| 16 | Dumpy Levels with stand and staff (different works) | ... | 6 |
| 17 | Cooke's Reversible Level | ... | 2 |
| 18 | Various types of staffs two in each kind :— | | |
| | (a) The Scotch Staff | ... | 2 |
| | (c) Hinged Staff | ... | 2 |
| 19 | Telescopic Aledades | ... | 2 |
| 20 | Indian Clinometer | ... | 2 |
| 21 | Barometer Fortin's | ... | 1 |
| 22 | Ziess Level | ... | 2 |
| 23 | Theodolite Transit type | ... | 4 |
| 24 | Wild's Theodolite | ... | 2 |
| 25 | Beaman's Stadia Arc | ... | 2 |
| 26 | Tachometers | ... | 2 |
| 27 | Subtense Bars | ... | 2 |
| 28 | Nautical Sextant | ... | 2 |
| 29 | Automatic Electric Blue Printing Machine | ... | 1 |
| 30 | Complete Dark Room Equipment, such as safety lamps Dishes. | | 1 set |
| 31 | Rapid Drying Machine | ... | 1 |
| 32 | Thermometer to read up to 100° C. | ... | 2 |
| 33 | Special Steel Plumb Lines with plump bobs (for deep shafts). | | 2 |
| 34 | The De Lisle Clinometer | ... | 1 |
| 35 | The Ray Shade Clinometer | ... | 1 |
| 36 | The Foot Rule Clinometer | ... | 1 |
| 37 | American make Drafting Machines | ... | 1 doz |
| 38 | Printing Machine automatic with electric drive | ... | 1 |
| 39 | Shadow graph with complete equipment | ... | 1 |

3680

Dated 7th September 1947.

To

The Firms dealing in Sluice Valves.

*Enquiry No.* 8600.

*Subject*:—Sluice Valves required for Water Supply Division.

GENTLEMEN,

**No. S. P. C. 10623-38.** Please be good enough to intimate your best prices and the earliest time of delivery for the materials described below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Sluice Valves required for Water Supply Division, Bangalore" with the above enquiry number.

This enquiry will be closed on the 28th November 1947.

SCHEDULE.

F.O.R. Bangalore.

1. 24" Sluice Valves Semi steel body and gun metal wedge door shutters fitted with suitable by pass and operations gear with indicators suitable for a working head of 950 ft. without tail pieces.

DETAILS :

Distance between flanges 2'—8¼"
Diameter of bolt holes 1 3/8"
Diameter of flange 2'—9¼"
Diameter of bolt circle 2'—6¾"
Number of bolt holes 24 — Six

2 6" Scour Valves— Double flanged valve 950 ft. working head without tail pieces but with 1" by pass.

DETAILS :

Diameter of flange 12"
Diameter of both circles 10¼"
Diameter of bolt hole ¾"
Number of bolt holes 12 — Four

3 6" Air Valves—Double ball Air valve for 950 ft. working head with a control stop valve or separate stop valve of kinetic type.

DETAILS OF FLANGES :

Diameter of flange 12"
Diameter of both circle 10¼"
Diameter of bolt hole ¾"
Number of bolt holes 12 — Two

4 8" Pressure relief Valve—Pressure Relief Valve of Lanner Johnson type to blow off at 950 ft. head of water complete with stop valve.

DETAILS OF FLANGES :

Diameter of flange 14"
Diameter of bolt circle 12¾"
Diameter of bolt hole 7/8"
Number of bolt holes 12 — Two

5 Expansion Joints—Cast steel heavy type suitable for 950 ft. head without tail pieces complete with safety bolts travel 4".

DETAILS OF FLANGES :

Bore 24"
Diameter of flange 2'—9¼"
Diameter of bolt circle 2'—6¾"
Diameter of bolt hole 1 3/8"
Number of bolt holes 24 — Two

6 24" Reflex Valve—Cast steel bodied reflex valve multi flag type with 4" by pass and control valve for 950 ft. head working pressure without tail pieces.

DETAILS OF FLANGES :

Bore 24"
Diameter of flange 2'—9¼"
Diameter of hole circle 2'—6¾"
Diameter of bolt holes 1 3/8"
Number of bolt holes 24 — Two

3681

Dated 7th November 1947.

To

The Firms dealing in Lime Stones.

*Enquiry No.* 8621.

*Subject* :—Fat Lime required for Water Supply Division for 1947-48.

Dear Sir/Gentlemen,

**No. S. P. C. 11586-600.** Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be, subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Fat Lime required for Water Supply Division for 1947-48" with the above enquiry number.

This enquiry will be closed on the 15th November 1947.

SCHEDULE.

| Item No. | Description of material offered | Quantity | Price quoted F.O.R. Bangalore. | Time of delivery |
|---|---|---|---|---|
| | Dronachalam Fat Lime 80 per cent lime content | 40 tons. | | |

N.B.—1. Supply should be made in two instalments as follows :—
(i) 20 tons by the end of November 1947.
(ii) 20 tons by the end of April 1948.
2. Sample of material offered should accompany the quotation.

3682

Dated 7th November 1947.

To

The Firms dealing in High Frequency Testing Routine Equipment.

*Enquiry No.* 8563.

*Subject*:—High Frequency Testing Routine Equipment for Government Porcelain Factory.

Gentlemen,

**No. S. P. C. 11654-74.** In continuation of this office Enquiry No. 9185-208, dated 25th October 1947, I write to state that the closing date of the above enquiry has been extended up to 15th December 1947. You may submit your quotation on or before the date.

3759

Dated 7th November 1947.

To

The Firms dealing in Steel Pipes.

*Enquiry No.* 8184.

*Subject*:—Special Steel Branch Pipe for Chamarajasagara Water Works.

DEAR SIR/GENTLEMEN,

**No. S. P. C. 11601-18.** Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Special Steel Branch Pipe for Chamarajasagara Water Works," with the above enquiry number.

This enquiry will be closed on the 29th November 1947.

SCHEDULE

| Item No. | Description of material offered | Quantity | Price quoted F. O. R. Bangalore City. | Time of delivery |
|---|---|---|---|---|
| 1 | Special steel branch pipe 24"×15" for 1,000 ft. working head as per sketch No. 1. | 2 | ... | ... |
| 2 | Special steel branch pipe 24"×15" for 1,000 ft. working head as per sketch No. 2. | 2 | ... | ... |

3683

Dated 14th November 1947.

To

The Firms dealing in Mortar Pans.

*Enquiry No.* 8581.

*Subject.*—Mortar Pans required for Krishnarajasagar Division.

Dear Sir/Gentlemen,

**No. S. P. C. 9893-915.** Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Mortar Pans required for Krishnarajasagar Division" with the above enquiry number.

This enquiry will be closed on the 29th November 1947.

SCHEDULE.

| Item No. | Description of material offered. | Quantity | Price quoted F.O.R., Belagula | Time of delivery |
|---|---|---|---|---|
| 1 | Mortar Pans of size 1'-4" dia. and thickness of the plate 1/24" to 1/16". | 1 gross | | |

3755

Dated 14th November 1947.

To

The Firms dealing in Sluice Valves.

*Enquiry No.* 8620.

*Subject*:—Sluice valves required for Water Supply Division.

Dear Sir/Gentlemen,

**No. S. P. C. 11619-35.** Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Sluice Valves required for Water Supply Division" with the above enquiry number.

This enquiry will be closed on the 29th November 1947.

SCHEDULE.

| Item No. | Description of material offered | Quantity | Price quoted F.O.R. Mysore. | Time of delivery |
|---|---|---|---|---|
| 1 | 5" C. I. Sluice Valves (5" diameter) with C. I. Cap on the spindle and flanged on both sides to withstand a pressure of about 250' head of water. | 4 Nos. | | |
| 2 | C. I. Air Valve 2" with Control Gland Cock for 250' head of water. | 1 No. | | |

N.B.—The supply from ready stock in India is preferred.

3757

Dated 15th November 1947.

To

The Firms dealing in Furniture articles.

*Enquiry No.* 8518.

*Subject*:—Supply of sets of examination tables and stools to the several centres of the State.

Dear Sir/Gentlemen,

**No. S.P.C. 11509-25.** Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Supply of sets of examination tables and stools to the several examination centres of the State" with the above enquiry number.

This enquiry will be closed on the 29th November 1947.

SCHEDULE.

| Item No. | Description of material offered. | Quantity | Price quoted F. O. R. Any Railway Station in the State. | Time of delivery |
|---|---|---|---|---|
| 1 | Examination table of well seasoned T.W. size 2½"×1½"×2½" with 2" square legs 7/8" top material Not more than 2 planks to be used for the top. | 135 sets | | |
| 2 | T.W. oblong stool 1½'×1'×1½' with 2 square legs and 1" top materials. | | | |

N.B.—(1) The above two items from one set. Number of sets required is 135.

(2) F.O.R. any Railway Station in the State.

(3) The supply should be made within four weeks from the date of receipt of order in case you are asked to supply.

3749 D. S. RAGHAVENDRACHAR, *Secy., S. P. C.*